



2007 JEEP® WRANGLER SPECIFICATIONS

2007 JEEP® WRANGLER SPECS

Standard Equipment

- 3.8L V-6 gasoline engine
- Four-wheel Disc Anti-lock Braking System (ABS)
- Electronic Stability Program (ESP)
- Electronic Roll Mitigation
- 16-inch Steel Wheels
- 32-inch Outer-Diameter LT255 Tires
- Compass and Mini Trip Computer Display, Sahara and Rubicon
- 6-Speaker Audio System
- MP3 and Audio Input Jacks
- Single-Hinge Center Pivot Windshield
- Lockable Rear Underfloor Storage Bin
- Sentry Key
- Tire Pressure Monitoring
- Rear Head Restraints
- Front Passenger Occupant Sensing

Available Equipment

- 16-, 17- and 18-inch cast aluminum wheels
- LT255 tires on Rubicon
- 32-inch outer diameter tires (Rubicon)
- Larger, lockable floor console
- Driver's Seat Height Adjuster
- Power Windows and Door Locks
- 6-Disc CD/DVD audio capability System
- Navigation System with Full Map Display
- Electronic Sway Bar Disconnect (Std. On Rubicon)
- Rock Rails (Std on Rubicon)
- Factory-Installed Trailer Tow Package
- Modular 3-Piece Modular Hard Top
- Sun Rider Top
- NVH Reduction Packages
- Seat-Mounted Supplemental Side Airbags

DIMENSIONS - EXTERIOR

DIMENSION	2007 WRANGLER
Wheelbase, in. (mm)	95.4 (2423.2)
Track, Front, in. (mm)	61.9 (1572.3)
Track, Rear, in. (mm)	61.9 (1572.3)
Overall Length, in. (mm)	152.8 (3881.1)
Overall Width, in. (mm) w/o mirrors	73.7 (1872.0)
Overall Height, in. (mm) hardtop (with base tires)	70.9 (1800.9) Base 72.3 (1836.4) Rubicon
Overhang, Front, in. (mm)	26.7 (678.2)
Overhang, Rear, in. (mm)	30.6 (777.2)
Turning Circle, ft. (m)	34.9 (10.64) - all
Suspension or Front Axle to Ground, in. (mm)	9.1 (231.1) w/ base tire 10.5 (266.7) Rubicon
Suspension or Rear Axle to Ground, in. (mm)	8.8 (223.5) w/ base tire 10.2 (259.1) Rubicon
Approach Angle, degrees	40.8 w/base tire 44.3 Rubicon
Departure Angle, degrees	37.4 w/base tire 40.4 Rubicon
Breakover Angle, degrees	21.8 w/base tire 25.4 Rubicon

DIMENSIONS - INTERIOR

DIMENSION	2007 WRANGLER
Seating Capacity, F/R	2/2
Front Headroom, in. (mm)	41.3 (1049.0)
Front Leg Room, in. (mm)	41.0 (1041.4)
Front Shoulder Room, in. (mm)	55.8 (1417.3)
Front Hip Room, in. (mm)	55.6 (1412.2)
Front volume cu. ft. (cu. m)	54.6 (1.545)
Couple, first row to second row, in. (mm)	31.3 (795.0)
Rear Headroom, in. (mm)	40.3 (1023.6)
Rear Leg Room, in. (mm)	35.6 (904.2)
Rear Shoulder Room, in. (mm)	61.6 (1564.6)
Rear Hip Room, in. (mm)	44.7 (1135.4)
Rear volume cu. ft. (cu. m)	48.3 (1.367)

