





Model No	LW-LBL-30W
LED Power	30W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	6pcs*5w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/120degree flood/Combo
Life Span	30000 hours above life time
Dimension	10.5 inch




Model No	LW-LBL-36WB
LED Power	36W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	12pcs*3w high intensity CREE LEDs
Optional Color	Black/White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8 degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	7.5 inch




Model No	LW-LBL-60W
LED Power	60W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	12pcs*5w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/120degree flood/Combo
Life Span	30000 hours above life time
Dimension	20 inch




Model No	LW-LBL-60WB
LED Power	60W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	6pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimension	13.5 inch




Model No	LW-LBL-72WB
LED Power	72W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	24pcs*3w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8 degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	13.5 inch




Model No	LW-LBL-90W
LED Power	90W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	18pcs*5w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/120degree flood/Combo
Life Span	30000 hours above life time
Dimensions	29.5 inch




Model No	LW-LBL-100W
LED Power	100W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	10pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	21.5 inch




Model No	LW-LBL-120W
LED Power	120W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	24pcs*5w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/120degree flood/Combo
Life Span	30000 hours above life time
Dimensions	39 inch




Model No	LW-LBL-120WC
LED Power	120W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	40pcs*3w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket:	Alu firm bracket
Beam	8 degree Spot/ 90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	21.5 inch



Model No	LW-LBL-140W
LED Power	140W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	14pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket:	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	31.5 inch




Model No	LW-LBL-180WB
LED Power	180W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	60pcs*3w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8 degree Spot/ 90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	31.5 inch




Model No	LW-LBL-200W
LED Power	200W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	20pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	41.5 inch




Model No	LW-LBL-240WB
LED Power	240W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	80pcs*3w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8 degree Spot/ 90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	41.5 inch






Model No	LW-LBL-240WD
LED Power	240W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	24pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	50 inch



Model No	LW-LBL-288W
LED Power	288W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	96pcs*3w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8 degree Spot/ 90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	50 inch



Model No	LW-LBL-300W
LED Power	300W
Operating Voltage	10-30V DC
Waterproof rate	IP 67
LED numbers	100pcs*3w high intensity Cree LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/90degree flood/Combo
Life Span	30000 hours above life time
Dimensions	50 inch



Model No	LW-LBL-20W-1
LED Power	20W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	2pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	4.6 inch



Model No	LW-LBL-40W-2
LED Power	40W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	4pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	7.8 inch



Model No	LW-LBL-40W-3
LED Power	40W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	4pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	4.6 inch



Model No	LW-LBL-60W-3
LED Power	60W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	6pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	10.9 inch



Model No	LW-LBL-80W
LED Power	80W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	8pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	7.8 inch



Model No	LW-LBL-100W-4
LED Power	100W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	10pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimension	17.2 inch



Model No	LW-LBL-120W-5
LED Power	120W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	12pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	20.3 inch



Model No	LW-LBL-120W-6
LED Power	120W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	26pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	10.9 inch



Model No	LW-LBL-180W-6
LED Power	180W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	18pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	Toughed glass
Mounting Bracket	Alu firm bracket
Opitonal Beam	Flood/Spot
Life Span	30000 hours above life time
Dimension	29.3 inch



Model No	LW-LBL-240W-7
LED Power	240W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	24pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	39.1 inch



Model No	LW-LBL-240W-8
LED Power	240W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	24pcs*10w high intensity CREE LEDs
Optional Color	Black
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	20.3 inch



Model No	LW-LBL-260W-7
LED Power	260W
Operating Voltage	9-70V DC
Waterproof rate	IP 67
LED numbers	26pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	8degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	42.4 inch



Model No	LW-LBL-20W
LED Power	20W
Operating Voltage	9-30V DC
Waterproof rate	IP 67
LED numbers	2pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	7.5inch



Model No	LW-LBL-40W-1
LED Power	40W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	4pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	11inch



Model No	LW-LBL-60W-1
LED Power	60W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	6pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	14.5inch



Model No	LW-LBL-80W-1
LED Power	80W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	8pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	18inch



Model No	LW-LBL-120W-1
LED Power	120W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	12pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	25inch



Model No	LW-LBL-160W-1
LED Power	160W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	16pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	25inch



Model No	LW-LBL-200W-1
LED Power	200W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	20pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	40inch



Model No	LW-LBL-240W-1
LED Power	240W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	24pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	47inch



Model No	LW-LBL-260W-1
LED Power	260W
Operating Voltage	9-30v DC
Waterproof rate	IP 67
LED numbers	26pcs*10w high intensity CREE LEDs
Optional Color	Black,White
Color Temperature	6000K
Material	Diecast aluminum housing
Lens material	PC
Mounting Bracket	Alu firm bracket
Beam	30degree Spot/60degree flood/Combo
Life Span	30000 hours above life time
Dimensions	50inch

Preisliste LED Light Bars

Model	Preis inkl. Mwst
LW-LBL-30W	82,00 €
LW-LBL-36W	53,00 €
LW-LBL-60W	138,00 €
LW-LBL-60WB	97,00 €
LW-LBL-72WB	100,00 €
LW-LBL-90W	193,00 €
LW-LBL-100W	159,00 €
LW-LBL-120W	249,00 €
LW-LBL-120WC	155,00 €
LW-LBL-140W	223,00 €
LW-LBL-180WB	229,00 €
LW-LBL-200W	317,00 €
LW-LBL-240WB	312,00 €
LW-LBL-240WD	395,00 €
LW-LBL-288W	347,00 €
LW-LBL-300W	398,00 €

Preisliste LED Light Bars

Model	Preis inkl. Mwst
LW-LBL-20W-1	38,00 €
LW-LBL-40W-2	71,00 €
LW-LBL-40W-3	73,00 €
LW-LBL-60W-3	105,00 €
LW-LBL-80W	144,00 €
LW-LBL-100W-4	157,00 €
LW-LBL-120W-5	187,00 €
LW-LBL-120W-6	208,00 €
LW-LBL-180W-6	293,00 €
LW-LBL-240W-7	414,00 €
LW-LBL-240W-8	420,00 €
LW-LBL-260W-7	452,00 €
LW-LBL-20W	31,00 €
LW-LBL-40W-1	55,00 €
LW-LBL-60W-1	83,00 €
LW-LBL-80W-1	111,00 €
LW-LBL-120W-1	166,00 €

Preisliste LED Light Bars

Model	Preis inkl. Mwst
LW-LBL-160W-1	231,00 €
LW-LBL-200W-1	288,00 €
LW-LBL-240W-1	346,00 €
LW-LBL-260W-1	343,00 €